



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2512SMAZ2169.6582
 Batch #: 12052025PB



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18932

FP Pinnacle Bomb Bulk Cured Budder (H)

Batch #: 12052025PB
 Strain: Pinnacle Bomb
 Parent Batch #:
 Production Method: Butane
 Harvest Date: 09/15/2025
 Received: 12/09/2025

Sample ID: 2512SMAZ2169.6582
 Amount Received: 9.8 g
 Sample Type: Budder
 Sample Collected: 12/09/2025 14:20:00
 Manufacture Date: 12/05/2025
 Published: 12/12/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

81.0078% Total THC
0.1227% Total CBD
<LOQ CBN
0.5023% CBG
93.3084% Total Cannabinoids (Q3)

Ahmed Munshi
 Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2512SMAZ2169.6582
 Batch #: 12052025PB



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18932

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 12/09/2025
 SOP: 418.AZ
 Batch Number: 4712
 Test ID: 104691

Sample Analysis

Date: 12/10/2025
 SOP: 417.AZ - HPLC
 Sample Weight: 0.040 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3220	0.9770	1	0.4154	4.1540	M1
CBD	0.3220	0.9770	1	<LOQ	<LOQ	M1
CBDA	0.3220	0.9770	1	0.1399	1.3990	M1
CBDV	0.3220	0.9770	1	ND	ND	M1
CBG	0.3220	0.9770	1	0.5023	5.0230	M1
CBGA	0.3220	0.9770	1	1.2312	12.3120	M1
CBN	0.3220	0.9770	1	<LOQ	<LOQ	M1
d8-THC	0.3220	0.9770	1	ND	ND	M1
d9-THC	0.3220	0.9770	1	9.6228	96.2280	M1
THCA	0.3220	0.9770	1	81.3968	813.9680	M1
THCV	0.3220	0.9770	1	<LOQ	<LOQ	M1

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	81.0078	810.0780	
Total CBD	0.1227	1.2270	
Total Cannabinoids	93.3084	933.0840	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2512SMAZ2169.6582
 Batch #: 12052025PB



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18932

Terpene Total

GC-FID

Tested (2.0940%)


Sample Prep

Batch Date: 12/10/2025
 SOP: 419
 Batch Number: 4715

Sample Analysis

Date: 12/11/2025
 SOP: 419 - GC-FID
 Sample Weight: 0.421 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.1026	Q3	gamma-Terpinene	0.0010 / 0.0029	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.0119	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.2200	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	ND	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.0143	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.0185	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.0102	Q3	Limonene	0.0010 / 0.0029	1	0.0619	Q3
Borneol	0.0010 / 0.0029	1	0.0285	Q3	Linalool	0.0010 / 0.0029	1	0.5429	Q3
Camphene	0.0010 / 0.0029	1	<LOQ	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0411	Q3	Terpineol	0.0010 / 0.0029	1	0.1835	Q3
Cedrol	0.0010 / 0.0029	1	0.0310	Q3	Terpinolene	0.0010 / 0.0029	1	0.0034	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.6993	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.1126	Q3	trans-Ocimene	0.0010 / 0.0029	1	ND	Q3
Eucalyptol	0.0010 / 0.0029	1	0.0049	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	0.0075	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2512SMAZ2169.6582
 Batch #: 12052025PB



CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18932

Microbial Analysis
Pass

Sample Prep

Batch Date: 12/10/2025
 SOP: 412.AZ
 Batch Number: 4718
 Test ID: 104723

Sample Analysis

Date: 12/11/2025
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.048 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 12/10/2025
 SOP: 406.AZ
 Batch Number: 4716
 Test ID: 104725

Sample Analysis

Date: 12/11/2025
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.005 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 12/10/2025
 SOP: 406.AZ
 Batch Number: 4716
 Test ID: 104727

Sample Analysis

Date: 12/11/2025
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.005 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2512SMAZ2169.6582
 Batch #: 12052025PB



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18932

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 12/10/2025
 SOP: 405.AZ
 Batch Number: 4714
 Test ID: 104692

Sample Analysis

Date: 12/11/2025
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.051 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 196	1	1000	ND		Heptane	327 / 980	1	5000	ND	
Acetonitrile	27 / 80	1	410	ND		Hexanes	47 / 142	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	327 / 980	1	5000	ND	
Butanes	163 / 490	1	5000	ND		Methanol	196 / 588	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	327 / 980	1	5000	ND	
Dichloromethane	39 / 118	1	600	ND		2-Propanol (IPA)	327 / 980	1	5000	ND	
Ethanol	327 / 980	1	5000	ND		Toluene	59 / 175	1	890	ND	
Ethyl acetate	327 / 980	1	5000	ND		Xylenes	284 / 851	1	2170	ND	
Ethyl ether	327 / 980	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2512SMAZ2169.6582
 Batch #: 12052025PB



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18932

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 12/11/2025
 SOP: 428.AZ
 Batch Number: 4727
 Test ID: 104693

Sample Analysis
 Date: 12/12/2025
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.204 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.059	0.196	10	0.4	ND	
Cadmium	0.059	0.196	10	0.4	ND	
Lead	0.059	0.490	10	1	<LOQ	
Mercury	0.059	0.098	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 12/09/2025
 SOP: 432.AZ
 Batch Number: 4707
 Test ID: 104696

Sample Analysis
 Date: 12/11/2025
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.542 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.69	9.23	1	20	ND	R1
Aflatoxin B1	3.69	9.23	1		ND	R1
Aflatoxin B2	3.69	9.23	1		ND	I1
Aflatoxin G1	3.69	9.23	1		ND	
Aflatoxin G2	3.69	4.61	1		ND	I1, R1
Ochratoxin A	9.23	9.23	1	20	ND	I1, R1 V1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2512SMAZ2169.6582
 Batch #: 12052025PB



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18932

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 12/09/2025
 SOP: 432.AZ
 Batch Number: 4707
 Test ID: 104695

Sample Analysis

Date: 12/11/2025
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.542 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.077 / 0.231	1	0.5	ND		Hexythiazox	0.154 / 0.461	1	1	ND	
Acephate	0.062 / 0.185	1	0.4	ND		Imazalil	0.030 / 0.092	1	0.2	ND	R1
Acetamiprid	0.030 / 0.092	1	0.2	ND		Imidacloprid	0.062 / 0.185	1	0.4	ND	
Aldicarb	0.062 / 0.185	1	0.4	ND		Kresoxim-methyl	0.062 / 0.185	1	0.4	ND	
Azoxystrobin	0.030 / 0.092	1	0.2	ND		Malathion	0.030 / 0.092	1	0.2	ND	R1
Bifenazate	0.030 / 0.092	1	0.2	ND	L1	Metaxyl	0.030 / 0.092	1	0.2	ND	
Bifenthrin	0.030 / 0.092	1	0.2	ND		Methiocarb	0.030 / 0.092	1	0.2	ND	
Boscalid	0.062 / 0.185	1	0.4	ND		Methomyl	0.062 / 0.185	1	0.4	ND	
Carbaryl	0.030 / 0.092	1	0.2	ND		Myclobutanil	0.030 / 0.092	1	0.2	ND	R1
Carbofuran	0.030 / 0.092	1	0.2	ND		Naled	0.077 / 0.231	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.092	1	0.2	ND		Oxamyl	0.154 / 0.461	1	1	ND	
Chlorfenapyr	0.154 / 0.461	1	1	ND		Pacllobutrazol	0.062 / 0.185	1	0.4	ND	
Chlorpyrifos	0.030 / 0.092	1	0.2	ND		Permethrins	0.030 / 0.092	1	0.2	ND	
Clofentezine	0.030 / 0.092	1	0.2	ND		Phosmet	0.030 / 0.092	1	0.2	ND	
Cyfluthrin	0.154 / 0.461	1	1	ND		Piperonyl Butoxide	0.307 / 0.923	1	2	ND	
Cypermethrin	0.154 / 0.461	1	1	ND		Prallethrin	0.030 / 0.092	1	0.2	ND	
Daminozide	0.154 / 0.461	1	1	ND		Propiconazole	0.062 / 0.185	1	0.4	ND	
Diazinon	0.030 / 0.092	1	0.2	ND		Propoxur	0.030 / 0.092	1	0.2	ND	
Dichlorvos	0.016 / 0.046	1	0.1	ND		Pyrethrins	0.129 / 0.387	1	1	ND	
Dimethoate	0.030 / 0.092	1	0.2	ND		Pyridaben	0.030 / 0.092	1	0.2	ND	
Ethoprophos	0.030 / 0.092	1	0.2	ND		Spinosad	0.030 / 0.092	1	0.2	ND	
Etofenprox	0.062 / 0.185	1	0.4	ND		Spiromesifen	0.030 / 0.092	1	0.2	ND	
Etoxazole	0.030 / 0.092	1	0.2	ND		Spirotetramat	0.030 / 0.092	1	0.2	ND	
Fenoxycarb	0.030 / 0.092	1	0.2	ND		Spiroxamine	0.062 / 0.185	1	0.4	ND	R1
Fenpyroximate	0.062 / 0.185	1	0.4	ND	I1	Tebuconazole	0.062 / 0.185	1	0.4	ND	
Fipronil	0.062 / 0.185	1	0.4	ND	I1	Thiacloprid	0.030 / 0.092	1	0.2	ND	
Fonicamid	0.154 / 0.461	1	1	ND		Thiamethoxam	0.030 / 0.092	1	0.2	ND	
Fludioxonil	0.062 / 0.185	1	0.4	ND	R1	Trifloxystrobin	0.030 / 0.092	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2512SMAZ2169.6582
 Batch #: 12052025PB



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18932

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2512SMAZ2169.6582
 Batch #: 12052025PB



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18932

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>