ENCORE LABS

Encore Labs Arizona
16624 N 90th St, Suite 101
Scottsdale, AZ 85260

(626) 696-3086
https://encorelabs.com
Lic# 0000034LRCRF78097578

Mimosa Distillate

Sample ID: 2601EAZ0051.0236
Strain: Mimosa
Matrix: Concentrates & Extracts
Type: Distillate
Batch#: FP169-MIM

Collected: 01/23/2026 11:45 AM
Received: 01/23/2026
Completed: 01/29/2026
Sample Size: 14.62 g;

Harvest Date: 10/23/2025
Manufacture Date: 01/23/2026
External Lot ID#:
Production Method: Other Hydrocarbon

Client
Apache County Dispensary LLC

Lic. # 00000133ESGJ79432018
2155 East 5th St
Tempe, AZ 85281

Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	01/23/2026	LC-UV VIS	Complete
Terpenes	01/26/2026	GC-MS	Complete
Microbial Impurities	01/29/2026	3M Plating & qPCR	Pass

Cannabinoids
Method: SOP AZ_M-CANNABINOIDS

85.052 %	0.153 %	87.676 %
Total THC	Total CBD	Total Cannabinoids Q3

Analytes	LOQ	Result	Result	Q
	mg/g	%	mg/g	
THCA	0.727	ND	ND	
Δ9 THC	0.727	85.052	850.52	
Δ8 THC	0.727	ND	ND	
THCVA	0.727	ND	ND	
THCV	0.727	0.262	2.62	
CBDA	0.727	ND	ND	
CBD	0.727	0.153	1.53	
CBN	0.727	0.181	1.81	
CBGA	0.727	ND	ND	
CBG	0.727	2.028	20.28	
CBCA	0.727	ND	ND	
CBC	0.727	ND	ND	
Total THC		**85.052**	**850.52**	
Total CBD		**0.153**	**1.53**	
Total Cannabinoids		**87.676**	**876.76**	Q3
Sum of Cannabinoids		**87.676**	**876.76**	Q3

Date Tested: 01/23/2026
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected Moisture Method: SOP AZ_M-MOISTURE

Kevin Nolan
Kevin Nolan
Laboratory Technical Director | 01/29/2026

Firas Haddad
Firas Haddad
Laboratory Manager | 01/29/2026

ilac-MRA
ISO/IEC 17025:2017 Accredited
Accreditation # 122243
PJLA Testing

Encore Labs

Encore Labs Arizona
16624 N 90th St, Suite 101
Scottsdale, AZ 85260

(626) 696-3086
https://encorelabs.com
Lic# 0000034LRCRF78097578

Mimosa Distillate

Sample ID: 2601EAZ0051.0236
Strain: Mimosa
Matrix: Concentrates & Extracts
Type: Distillate
Batch#: FP169-MIM

Collected: 01/23/2026 11:45 AM
Received: 01/23/2026
Completed: 01/29/2026
Sample Size: 14.62 g;

Harvest Date: 10/23/2025
Manufacture Date: 01/23/2026
External Lot ID#:
Production Method: Other Hydrocarbon

Client

Apache County Dispensary LLC

Lic. # 00000133ESGJ79432018
2155 East 5th St
Tempe, AZ 85281

Terpenes
Method: SOP AZ_M-TERPENES

Analytes	LOQ	Result	Result	Q
	mg/g	mg/g	%	
β-Caryophyllene	0.198	16.274	1.627	Q3
β-Pinene	0.198	12.541	1.254	Q3
α-Pinene	0.198	8.303	0.830	Q3
β-Myrcene	0.198	6.655	0.665	Q3
α-Humulene	0.198	6.063	0.606	Q3
Linalool	0.198	5.726	0.573	Q3
δ-Limonene	0.198	5.413	0.541	Q3
α-Bisabolol	0.992	3.643	0.364	Q3
trans-Nerolidol	0.238	0.743	0.074	Q3
cis-B-ocimene	0.198	0.638	0.064	Q3
Caryophyllene Oxide	0.992	<LOQ	<LOQ	Q3
Camphene	0.198	<LOQ	<LOQ	Q3
Guaiol	0.992	<LOQ	<LOQ	Q3
Terpinolene	0.198	<LOQ	<LOQ	Q3
α-Terpinene	0.198	<LOQ	<LOQ	Q3
δ-3-Carene	0.198	<LOQ	<LOQ	Q3
p-Cymene	0.198	ND	ND	Q3
Eucalyptol	0.198	ND	ND	Q3
trans-B-ocimene	0.198	ND	ND	Q3
γ-Terpinene	0.198	ND	ND	Q3
Isopulegol	0.992	ND	ND	Q3
Geraniol	0.992	ND	ND	Q3
cis-Nerolidol	0.397	ND	ND	Q3
Total		**65.998**	**6.600**	Q3

Date Tested: 01/26/2026
LOQ = Limit of Quantitation; NT = Not Tested; ND = Not Detected.

Primary Aromas

Clove	Pine	Pine	Musky	Hops

Kevin Nolan
Laboratory Technical Director | 01/29/2026

Firas Haddad
Laboratory Manager | 01/29/2026

ilac-MRA
ISO/IEC 17025:2017 Accredited
Accreditation # 122243

PJLA
Testing

ENCORE LABS

Encore Labs Arizona
16624 N 90th St, Suite 101
Scottsdale, AZ 85260

(626) 696-3086
https://encorelabs.com
Lic# 0000034LRCRF78097578

Mimosa Distillate

Sample ID: 2601EAZ0051.0236
Strain: Mimosa
Matrix: Concentrates & Extracts
Type: Distillate
Batch#: FP169-MIM

Collected: 01/23/2026 11:45 AM
Received: 01/23/2026
Completed: 01/29/2026
Sample Size: 14.62 g;

Harvest Date: 10/23/2025
Manufacture Date: 01/23/2026
External Lot ID#:
Production Method: Other Hydrocarbon

Client
Apache County Dispensary LLC

Lic. # 00000133ESGJ79432018
2155 East 5th St
Tempe, AZ 85281

Microbial Impurities
Method: SOP AZ_M-ECOLI

Analytes	Result	Limit	Status	Q
Escherichia coli	<10 CFU/g	100 CFU/g	Pass	

Date Tested: 01/27/202026

Method: SOP AZ_M-MICROBIALS

Analytes	Result	Limit	Status	Q
Salmonella spp	Not Detected	Not Detected in One Gram	Pass	
Aspergillus flavus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected	Not Detected in One Gram	Pass	

Date Tested: 01/29/2026

Kevin Nolan
Laboratory Technical Director | 01/29/2026

Firas Haddad
Laboratory Manager | 01/29/2026

ilac-MRA
ISO/IEC 17025:2017 Accredited
Accreditation # 122243

PJLA
Testing

ENCORE LABS

Encore Labs Arizona
16624 N 90th St, Suite 101
Scottsdale, AZ 85260

(626) 696-3086
https://encorelabs.com
Lic# 0000034LRCRF78097578

Certificate of Analysis

4 of 4

Mimosa Distillate

Sample ID: 2601EAZ0051.0236
Strain: Mimosa
Matrix: Concentrates & Extracts
Type: Distillate
Batch#: FP169-MIM

Collected: 01/23/2026 11:45 AM
Received: 01/23/2026
Completed: 01/29/2026
Sample Size: 14.62 g;

Harvest Date: 10/23/2025
Manufacture Date: 01/23/2026
External Lot ID#:
Production Method: Other Hydrocarbon

Client
Apache County Dispensary LLC

Lic. # 00000133ESGJ79432018
2155 East 5th St
Tempe, AZ 85281

Qualifier Legend

B1 — *The target analyte detected in the calibration blank required or the method blank is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.*

B2 — *The target analyte detected in the calibration blank required or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, growth regulators, mycotoxins, heavy metals, or residual solvents, is below the maximum allowable concentration.*

D1 — *The limit of quantitation and the sample results were adjusted to reflect sample dilution.*

I1 — *The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.*

L1 — *When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.*

M1 — *The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.*

M2 — *The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.*

M3 — *The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.*

M4 — *The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.*

M5 — *The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.*

N1 — *A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii)*

Q1 — *Sample integrity was not maintained.*

Q2 — *The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.*

Q3 — *Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.*

R1 — *The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.*

R2 — *The relative percent difference between values obtained according to subsection N is more than 40%.*

V1 — *The recovery from initial or continuing calibration verification standards is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.*

Report Notes

Kevin Nolan
Laboratory Technical Director | 01/29/2026

Firas Haddad
Laboratory Manager | 01/29/2026

ilac-MRA
ISO/IEC 17025:2017 Accredited
Accreditation # 122243
PJLA Testing