



Apache County Dispensary LLC. DBA Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000133ESGJ79432018  
 Sample ID: 2512SMAZ2212.6768  
 Batch #: 12102025SCS



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 19270

## FP Sugar Cake Bulk Cured Sugar (HI)

Batch #: 12102025SCS  
 Strain: Sugar Cake  
 Parent Batch #:  
 Production Method: Butane  
 Harvest Date: 06/09/2025  
 Received: 12/15/2025

Sample ID: 2512SMAZ2212.6768  
 Amount Received: 9.8 g  
 Sample Type: Sugar  
 Sample Collected: 12/15/2025 12:07:00  
 Manufacture Date: 12/10/2025  
 Published: 12/18/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

**82.0598%**  
Total THC

**ND**  
Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Tested</b>	Moisture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

**0.1333%**  
CBN

**ND**  
CBG

**96.2214%**  
Total Cannabinoids (Q3)

**Ahmed Munshi**  
 Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000133ESGJ79432018  
 Sample ID: 2512SMAZ2212.6768  
 Batch #: 12102025SCS



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 19270

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 12/15/2025  
 SOP: 418.AZ  
 Batch Number: 4759  
 Test ID: 105923

**Sample Analysis**

Date: 12/16/2025  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.0420 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.3070	0.9300	1	ND	ND	
CBD	0.3070	0.9300	1	ND	ND	
CBDA	0.3070	0.9300	1	ND	ND	
CBDV	0.3070	0.9300	1	ND	ND	
CBG	0.3070	0.9300	1	ND	ND	
CBGA	0.3070	0.9300	1	3.3469	33.4690	
CBN	0.3070	0.9300	1	0.1333	1.3330	
d8-THC	0.3070	0.9300	1	ND	ND	
d9-THC	0.3070	0.9300	1	5.9000	59.0000	
THCA	0.3070	0.9300	1	86.8412	868.4120	
THCV	0.3070	0.9300	1	<LOQ	<LOQ	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	82.0598	820.5980	
Total CBD	ND	ND	
Total Cannabinoids	96.2214	962.2140	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000133ESGJ79432018  
 Sample ID: 2512SMAZ2212.6768  
 Batch #: 12102025SCS



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 19270

**Terpene Total**

GC-FID

**Tested (1.7643%)**


**Sample Prep**

Batch Date: 12/15/2025  
 SOP: 419  
 Batch Number: 4752

**Sample Analysis**

Date: 12/17/2025  
 SOP: 419 - GC-FID  
 Sample Weight: 0.422 g  
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0009 / 0.0028	1	0.0647	Q3	gamma-Terpinene	0.0009 / 0.0028	1	0.0064	Q3
alpha-Cedrene	0.0009 / 0.0028	1	ND	Q3	Geraniol	0.0009 / 0.0028	1	ND	Q3
alpha-Humulene	0.0009 / 0.0028	1	0.1183	Q3	Geranyl acetate	0.0009 / 0.0028	1	ND	Q3
alpha-Phellandrene	0.0009 / 0.0028	1	ND	Q3	Guaiol	0.0009 / 0.0028	1	0.1313	Q3
alpha-Pinene	0.0009 / 0.0028	1	0.0250	Q3	Hexahydrothymol	0.0009 / 0.0028	1	ND	Q3
alpha-Terpinene	0.0009 / 0.0028	1	0.0064	Q3	Isoborneol	0.0009 / 0.0028	1	ND	Q3
beta-Myrcene	0.0009 / 0.0028	1	0.0678	Q3	Isopulegol	0.0009 / 0.0028	1	ND	Q3
beta-Pinene	0.0009 / 0.0028	1	0.0136	Q3	Limonene	0.0009 / 0.0028	1	0.2777	Q3
Borneol	0.0009 / 0.0028	1	0.0251	Q3	Linalool	0.0009 / 0.0028	1	0.1700	Q3
Camphene	0.0009 / 0.0028	1	0.0169	Q3	Nerol	0.0009 / 0.0028	1	ND	Q3
Camphor	0.0009 / 0.0028	1	ND	Q3	Pulegone (+)	0.0009 / 0.0028	1	ND	Q3
3-Carene	0.0009 / 0.0028	1	ND	Q3	Sabinene Hydrate	0.0009 / 0.0028	1	ND	Q3
Caryophyllene oxide	0.0009 / 0.0028	1	0.0292	Q3	Terpineol	0.0009 / 0.0028	1	0.1218	Q3
Cedrol	0.0009 / 0.0028	1	0.0843	Q3	Terpinolene	0.0009 / 0.0028	1	0.0234	Q3
cis-Nerolidol	0.0009 / 0.0028	1	ND	Q3	trans-Caryophyllene	0.0009 / 0.0028	1	0.4077	Q3
cis-Ocimene	0.0009 / 0.0028	1	<LOQ	Q3	trans-Nerolidol	0.0009 / 0.0028	1	ND	Q3
Fenchyl alcohol	0.0009 / 0.0028	1	0.1474	Q3	trans-Ocimene	0.0009 / 0.0028	1	0.0088	Q3
Eucalyptol	0.0009 / 0.0028	1	0.0072	Q3	Valencene	0.0009 / 0.0028	1	ND	Q3
Fenchone	0.0009 / 0.0028	1	0.0113	Q3					



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000133ESGJ79432018  
 Sample ID: 2512SMAZ2212.6768  
 Batch #: 12102025SCS



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 19270

**Microbial Analysis**  
  
**Pass**

**Sample Prep**

Batch Date: 12/16/2025  
 SOP: 412.AZ  
 Batch Number: 4770  
 Test ID: 105935

**Sample Analysis**

Date: 12/17/2025  
 SOP: 412.AZ - 3M Petrifilm  
 Sample Weight: 1.019 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

Batch Date: 12/16/2025  
 SOP: 406.AZ  
 Batch Number: 4768  
 Test ID: 105987

**Sample Analysis**

Date: 12/17/2025  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.026 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 12/16/2025  
 SOP: 406.AZ  
 Batch Number: 4768  
 Test ID: 105990

**Sample Analysis**

Date: 12/17/2025  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.026 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000133ESGJ79432018  
 Sample ID: 2512SMAZ2212.6768  
 Batch #: 12102025SCS



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 19270

**Residual Solvents**

HS-GC-MS

Pass

**Sample Prep**

Batch Date: 12/15/2025  
 SOP: 405.AZ  
 Batch Number: 4747  
 Test ID: 105924

**Sample Analysis**

Date: 12/16/2025  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.0516 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	64 / 194	1	1000	ND		Heptane	324 / 969	1	5000	ND	
Acetonitrile	27 / 79	1	410	ND		Hexanes	47 / 141	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	324 / 969	1	5000	ND	
Butanes	161 / 484	1	5000	ND		Methanol	194 / 581	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	324 / 969	1	5000	ND	
Dichloromethane	39 / 116	1	600	ND		2-Propanol (IPA)	324 / 969	1	5000	ND	
Ethanol	324 / 969	1	5000	ND		Toluene	58 / 172	1	890	ND	
Ethyl acetate	324 / 969	1	5000	ND		Xylenes	281 / 841	1	2170	ND	
Ethyl ether	324 / 969	1	5000	ND							

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000133ESGJ79432018  
 Sample ID: 2512SMAZ2212.6768  
 Batch #: 12102025SCS



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 19270

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 12/16/2025  
 SOP: 428.AZ  
 Batch Number: 4764  
 Test ID: 105925

**Sample Analysis**  
 Date: 12/17/2025  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.209 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.059	0.197	10	0.4	ND	
Cadmium	0.059	0.197	10	0.4	ND	
Lead	0.059	0.493	10	1	ND	
Mercury	0.059	0.098	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 12/12/2025  
 SOP: 432.AZ  
 Batch Number: 4746  
 Test ID: 105928

**Sample Analysis**  
 Date: 12/16/2025  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.510 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.92	9.80	1	20	ND	
Aflatoxin B1	3.92	9.80	1		ND	
Aflatoxin B2	3.92	9.80	1		ND	I1
Aflatoxin G1	3.92	9.80	1		ND	
Aflatoxin G2	3.92	4.90	1		ND	I1
Ochratoxin A	9.80	9.80	1	20	ND	I1, R1 V1

**Ahmed Munshi**  
 Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000133ESGJ79432018  
 Sample ID: 2512SMAZ2212.6768  
 Batch #: 12102025SCS



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 19270

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 12/12/2025  
 SOP: 432.AZ  
 Batch Number: 4746  
 Test ID: 105927

**Sample Analysis**

Date: 12/16/2025  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.510 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.081 / 0.245	1	0.5	ND		Hexythiazox	0.164 / 0.490	1	1	ND	
Acephate	0.066 / 0.196	1	0.4	ND		Imazalil	0.032 / 0.098	1	0.2	ND	
Acetamiprid	0.032 / 0.098	1	0.2	ND		Imidacloprid	0.066 / 0.196	1	0.4	ND	
Aldicarb	0.066 / 0.196	1	0.4	ND		Kresoxim-methyl	0.066 / 0.196	1	0.4	ND	
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	
Bifenazate	0.032 / 0.098	1	0.2	ND		Metaxyl	0.032 / 0.098	1	0.2	ND	
Bifenthrin	0.032 / 0.098	1	0.2	ND		Methiocarb	0.032 / 0.098	1	0.2	ND	
Boscalid	0.066 / 0.196	1	0.4	ND		Methomyl	0.066 / 0.196	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND		Myclobutanil	0.032 / 0.098	1	0.2	ND	
Carbofuran	0.032 / 0.098	1	0.2	ND		Naled	0.081 / 0.245	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND		Oxamyl	0.164 / 0.490	1	1	ND	
Chlorfenapyr	0.164 / 0.490	1	1	ND		Pacllobutrazol	0.066 / 0.196	1	0.4	ND	
Chlorpyrifos	0.032 / 0.098	1	0.2	ND		Permethrins	0.032 / 0.098	1	0.2	ND	
Clofentezine	0.032 / 0.098	1	0.2	ND		Phosmet	0.032 / 0.098	1	0.2	ND	
Cyfluthrin	0.164 / 0.490	1	1	ND		Piperonyl Butoxide	0.326 / 0.980	1	2	ND	
Cypermethrin	0.164 / 0.490	1	1	ND		Prallethrin	0.032 / 0.098	1	0.2	ND	
Daminozide	0.164 / 0.490	1	1	ND		Propiconazole	0.066 / 0.196	1	0.4	ND	
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.137 / 0.411	1	1	ND	
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	
Ethoprophos	0.032 / 0.098	1	0.2	ND		Spinosad	0.032 / 0.098	1	0.2	ND	
Etofenprox	0.066 / 0.196	1	0.4	ND		Spiromesifen	0.032 / 0.098	1	0.2	ND	
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	
Fenoxycarb	0.032 / 0.098	1	0.2	ND		Spiroxamine	0.066 / 0.196	1	0.4	ND	
Fenpyroximate	0.066 / 0.196	1	0.4	ND	I1	Tebuconazole	0.066 / 0.196	1	0.4	ND	
Fipronil	0.066 / 0.196	1	0.4	ND	I1	Thiacloprid	0.032 / 0.098	1	0.2	ND	
Fonicamid	0.164 / 0.490	1	1	ND		Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.066 / 0.196	1	0.4	ND		Trifloxystrobin	0.032 / 0.098	1	0.2	ND	

**Ahmed Munshi**

Technical Laboratory Director

*Ahmed Munshi*

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000133ESGJ79432018  
 Sample ID: 2512SMAZ2212.6768  
 Batch #: 12102025SCS



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 19270

**Qualifier Legend**

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing  
 1102 N. 21st Ave.  
 Phoenix, AZ 85009  
 License #: 00000133ESGJ79432018  
 Sample ID: 2512SMAZ2212.6768  
 Batch #: 12102025SCS



**SMITHERS**

**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 19270

**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>