



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2511SMAZ2033.6078
 Batch #: 10212025DDULR



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18265

FP Dulce De Uva Bulk Live Rosin (H)

Batch #: 10212025DDULR

Strain: Dulce De Uva

Parent Batch #:

Production Method: Pressing

Harvest Date: 09/18/2025

Received: 11/17/2025

Sample ID: 2511SMAZ2033.6078

Amount Received: 9.6 g

Sample Type: Live Rosin

Sample Collected: 11/17/2025 12:31:00

Manufacture Date: 10/21/2025

Published: 11/20/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

71.9135%
Total THC

ND
Total CBD

ND
CBN

ND
CBG

85.4483%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2511SMAZ2033.6078
 Batch #: 10212025DDULR



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18265

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/17/2025
 SOP: 418.AZ
 Batch Number: 4563
 Test ID: 101292

Sample Analysis

Date: 11/18/2025
 SOP: 417.AZ - HPLC
 Sample Weight: 0.044 g
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.2930	0.8880	1	ND	ND	
CBD	0.2930	0.8880	1	ND	ND	
CBDA	0.2930	0.8880	1	ND	ND	
CBDV	0.2930	0.8880	1	ND	ND	
CBG	0.2930	0.8880	1	ND	ND	
CBGA	0.2930	0.8880	1	3.5696	35.6960	
CBN	0.2930	0.8880	1	ND	ND	
d8-THC	0.2930	0.8880	1	ND	ND	
d9-THC	0.2930	0.8880	1	0.8611	8.6110	
THCA	0.2930	0.8880	1	81.0175	810.1750	
THCV	0.2930	0.8880	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	71.9135	719.1350	
Total CBD	ND	ND	
Total Cannabinoids	85.4483	854.4830	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2511SMAZ2033.6078
 Batch #: 10212025DDULR



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18265

Terpene Total

GC-FID

Tested (7.9245%)


Sample Prep

Batch Date: 11/17/2025
 SOP: 419
 Batch Number: 4557

Sample Analysis

Date: 11/18/2025
 SOP: 419 - GC-FID
 Sample Weight: 0.411 g
 Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.1060	Q3	gamma-Terpinene	0.0010 / 0.0029	1	ND	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.0178	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.4008	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	ND	Q3	Guaiol	0.0010 / 0.0029	1	0.2598	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.1790	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	ND	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	1.4893	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.2504	Q3	Limonene	0.0010 / 0.0029	1	2.2555	Q3
Borneol	0.0010 / 0.0029	1	0.0475	Q3	Linalool	0.0010 / 0.0029	1	0.7974	Q3
Camphene	0.0010 / 0.0029	1	0.0578	Q3	Nerol	0.0010 / 0.0029	1	<LOQ	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	<LOQ	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	0.0037	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	ND	Q3	Terpineol	0.0010 / 0.0029	1	0.2755	Q3
Cedrol	0.0010 / 0.0029	1	0.2566	Q3	Terpinolene	0.0010 / 0.0029	1	0.0280	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	1.2927	Q3
cis-Ocimene	0.0010 / 0.0029	1	0.0035	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.1920	Q3	trans-Ocimene	0.0010 / 0.0029	1	ND	Q3
Eucalyptol	0.0010 / 0.0029	1	ND	Q3	Valencene	0.0010 / 0.0029	1	ND	Q3
Fenchone	0.0010 / 0.0029	1	0.0110	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2511SMAZ2033.6078
 Batch #: 10212025DDULR



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18265

Microbial Analysis

Pass

Sample Prep

Batch Date: 11/18/2025
 SOP: 412.AZ
 Batch Number: 4569
 Test ID: 101322

Sample Analysis

Date: 11/19/2025
 SOP: 412.AZ - 3M Petrifilm
 Sample Weight: 1.038 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 11/18/2025
 SOP: 406.AZ
 Batch Number: 4568
 Test ID: 101323

Sample Analysis

Date: 11/19/2025
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.028 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 11/18/2025
 SOP: 406.AZ
 Batch Number: 4568
 Test ID: 101324

Sample Analysis

Date: 11/19/2025
 SOP: 406.AZ - qPCR (MG)
 Sample Weight: 1.028 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2511SMAZ2033.6078
 Batch #: 10212025DDULR



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18265

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 11/18/2025
 SOP: 405.AZ
 Batch Number: 4567
 Test ID: 101293

Sample Analysis

Date: 11/19/2025
 SOP: 405.AZ - HS-GC-MS
 Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	61 / 185	1	1000	ND		Heptane	309 / 926	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	44 / 134	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	309 / 926	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	185 / 556	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	309 / 926	1	5000	ND	
Dichloromethane	37 / 111	1	600	ND		2-Propanol (IPA)	309 / 926	1	5000	ND	
Ethanol	309 / 926	1	5000	ND		Toluene	56 / 165	1	890	ND	
Ethyl acetate	309 / 926	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	309 / 926	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



PJLA Testing
 Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2511SMAZ2033.6078
 Batch #: 10212025DDULR



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18265

Heavy Metals

ICP-MS **Pass**

Sample Prep
 Batch Date: 11/17/2025
 SOP: 428.AZ
 Batch Number: 4565
 Test ID: 101294

Sample Analysis
 Date: 11/18/2025
 SOP: 428.AZ - ICP-MS
 Sample Weight: 0.204 g
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.059	0.196	10	0.4	ND	
Cadmium	0.059	0.196	10	0.4	ND	
Lead	0.059	0.490	10	1	ND	
Mercury	0.059	0.098	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS **Pass**

Sample Prep
 Batch Date: 11/17/2025
 SOP: 432.AZ
 Batch Number: 4560
 Test ID: 101297

Sample Analysis
 Date: 11/19/2025
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.515 g
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.88	9.71	1	20	ND	
Aflatoxin B1	3.88	9.71	1		ND	
Aflatoxin B2	3.88	9.71	1		ND	I1
Aflatoxin G1	3.88	9.71	1		ND	
Aflatoxin G2	3.88	4.85	1		ND	
Ochratoxin A	9.71	9.71	1	20	ND	I1, R1 V1

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2511SMAZ2033.6078
 Batch #: 10212025DDULR



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18265

**Pesticides, Fungicides, and
 Growth Regulators**
 LC-MS/MS **Pass**

Sample Prep

Batch Date: 11/17/2025
 SOP: 432.AZ
 Batch Number: 4560
 Test ID: 101296

Sample Analysis

Date: 11/19/2025
 SOP: 424.AZ - LC-MS/MS
 Sample Weight: 0.515 g
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.081 / 0.243	1	0.5	ND		Hexythiazox	0.162 / 0.485	1	1	ND	
Acephate	0.065 / 0.194	1	0.4	ND		Imazalil	0.032 / 0.097	1	0.2	ND	
Acetamiprid	0.032 / 0.097	1	0.2	ND		Imidacloprid	0.065 / 0.194	1	0.4	ND	V1
Aldicarb	0.065 / 0.194	1	0.4	ND		Kresoxim-methyl	0.065 / 0.194	1	0.4	ND	
Azoxystrobin	0.032 / 0.097	1	0.2	ND		Malathion	0.032 / 0.097	1	0.2	ND	
Bifenazate	0.032 / 0.097	1	0.2	ND		Metaxyl	0.032 / 0.097	1	0.2	ND	
Bifenthrin	0.032 / 0.097	1	0.2	ND		Methiocarb	0.032 / 0.097	1	0.2	ND	
Boscalid	0.065 / 0.194	1	0.4	ND	V1	Methomyl	0.065 / 0.194	1	0.4	ND	
Carbaryl	0.032 / 0.097	1	0.2	ND		Myclobutanil	0.032 / 0.097	1	0.2	ND	V1
Carbofuran	0.032 / 0.097	1	0.2	ND		Naled	0.081 / 0.243	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.097	1	0.2	ND	V1	Oxamyl	0.162 / 0.485	1	1	ND	
Chlorfenapyr	0.162 / 0.485	1	1	ND	R1	Pacllobutrazol	0.065 / 0.194	1	0.4	ND	V1
Chlorpyrifos	0.032 / 0.097	1	0.2	ND		Permethrins	0.032 / 0.097	1	0.2	ND	
Clofentezine	0.032 / 0.097	1	0.2	ND		Phosmet	0.032 / 0.097	1	0.2	ND	
Cyfluthrin	0.162 / 0.485	1	1	ND	V1	Piperonyl Butoxide	0.323 / 0.971	1	2	ND	
Cypermethrin	0.162 / 0.485	1	1	ND		Prallethrin	0.032 / 0.097	1	0.2	ND	
Daminozide	0.162 / 0.485	1	1	ND		Propiconazole	0.065 / 0.194	1	0.4	ND	V1
Diazinon	0.032 / 0.097	1	0.2	ND		Propoxur	0.032 / 0.097	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.136 / 0.407	1	1	ND	V1
Dimethoate	0.032 / 0.097	1	0.2	ND		Pyridaben	0.032 / 0.097	1	0.2	ND	
Ethoprophos	0.032 / 0.097	1	0.2	ND		Spinosad	0.032 / 0.097	1	0.2	ND	
Etofenprox	0.065 / 0.194	1	0.4	ND		Spiromesifen	0.032 / 0.097	1	0.2	ND	
Etoxazole	0.032 / 0.097	1	0.2	ND		Spirotetramat	0.032 / 0.097	1	0.2	ND	V1
Fenoxycarb	0.032 / 0.097	1	0.2	ND		Spiroxamine	0.065 / 0.194	1	0.4	ND	
Fenpyroximate	0.065 / 0.194	1	0.4	ND		Tebuconazole	0.065 / 0.194	1	0.4	ND	V1
Fipronil	0.065 / 0.194	1	0.4	ND	I1 V1, R1	Thiacloprid	0.032 / 0.097	1	0.2	ND	
Fonicamid	0.162 / 0.485	1	1	ND	V1	Thiamethoxam	0.032 / 0.097	1	0.2	ND	
Fludioxonil	0.065 / 0.194	1	0.4	ND		Trifloxystrobin	0.032 / 0.097	1	0.2	ND	

Ahmed Munshi
 Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2511SMAZ2033.6078
 Batch #: 10212025DDULR



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18265

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17- 404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Apache County Dispensary LLC. DBA Curagreen/Flow Processing
 1102 N. 21st Ave.
 Phoenix, AZ 85009
 License #: 00000133ESGJ79432018
 Sample ID: 2511SMAZ2033.6078
 Batch #: 10212025DDULR



SMITHERS

CERTIFICATE OF ANALYSIS
 License #: 00000020LCVT89602592

Certificate: 18265

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
 734 W Highland Avenue, 2nd Floor
 Phoenix, AZ 85013
 (602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>